

CHINO HILLS PROMENADE MASTER SIGN PROGRAM

GENERAL REQUIREMENTS:

This sign criteria has been established for the purpose of assuring an outstanding shopping center, and for the mutual benefit of all tenants. Conformance will be strictly enforced any installed, non-conforming, or un-approved signs must be brought into compliance at the sole expense of the tenant. Signing shall not exceed the following dimensions set in the master sign criteria.

All tenents storefront identification signs shall be subject to to approval, in writing, from landlord at time of store design final review. The drawings shall then be submitted to the County for approval to obtain a sign permit from the Community Development Department.

Sign will be limited to tenant's name, logo and/or logo type. The use of brand names or brand name logos will not be allowed on the sign unless it is specifically included in the tenants DBA. The logo area shall be included within the sign are limitation. The logo shall be defined as a graphic symbol commonly used by the tenant for identification. The logo shall have a metal channel outline of the symbol with construction as required for tenants channel letters.

All sign colors shall be designated by the colors set forth in this criteria unless it is a color specifically included in the tenants DBA or trademark.

All signs and sign structures as well as the immediate premises surrounding them, shall be well maintained by the tenant. Illumination must be of uniform intensity and well maintained for all letters and/or symbols.

Upon notice by either the Building and Safety or Community Development Department or the landlord, a tenant shall be required to refurbish their sign structure, acrylic plastic face and/or sign illumination within twenty (20) days.

In the event of a tenant vacancy, should a wall sign be removed, all holes shall be repaired and repainted to match exterior building color.

Only channel letters with UL approved installation will be allowed. All sign and installation of signs shall conform to the appropriate Building and Electrical codes. Letters shall have disconnecting switches and bear the U.L. label. The tenant and the tenant's contractor shall obtain any and all permits required. Each tenant shall be fully responsible for the operation of their sign contractor.

All exterior letters exposed to the weather shall be mounted flush to the building and shall be neatly sealed in a watertight condition and all bolts, fastening, and clips shall be of hot dipped galvanized iron, stainless steel, or other non-corrosive materials.

Every sign erected shall have its sign permit number, name of erector, installation year, when illuminated and the voltage, in a readily visible location.

Electrical service to tenant signs shall extend to the house panel of each shop building.

Tenants signs shall be installed only after obtaining all appropriate permits and approvals as required by law.

DEFINITIONS AND EXCLUSIONS

SIGN -- A communication device using words, symbols, banners or pennants designed to advertise, identify, or convey information.

SIGN STRUCTURE -- Any device used for the purpose of displaying or supporting signs.

SIGN AREA -- The area of a sign enclosed by a frame, trim or outline or the area within a single continuous perimeter enclosing the extreme limits of writing or any representation, emblem, or figure. Where a sign has two (2) or more faces, the area of all faces shall be included in determining the area of the sign, except that where two (2) such faces are placed back to back and are at no point more than three (3) feet from one another, the area of the sign shall be taken as one (1) face.

EXCLUSION -- The following signs are excluded from the porvisions of this code:

- *Governmental and public utility signs as required or unauthorized by law.
- *Name plates, memorial tablets not exceeding two (2) square feet in area.
- *Signs not visible beyond the boundaries of the property of building upon which they are located.
- *Signs less than twelve (12) square feet in area advertising the sale or lease of property.
- *Construction signs not exceeding thirty-two (32) square feet in area relating to or identifying construction projects and displayed only during the construction period.
- *Traffic directional signs not exceeding eight (8) square feet in area.
- *Bulletin boards or identification signs not exceeding thirty-two (32) square feet in area on the premises of public, charitable or religious institutions.

SIGNS PROHIBITED

Signs confusing traffic such as one that uses the words "STOP" or "DANGER" or impair the vision of the operator of a motor vehicle.

Any off-site advertising except for $\operatorname{sub-division}$ directional signs.

Portable or trailer mounted signs.

Signs which flash, scintillated, make sound, move or rotate except for clocks and time and temperature signs with a maximum area of thirty-two (32) square feet.

Signs attached to a building where the sign extends above the roof line or parapet of the building.

Signs on public property other than government or public utility signs and signs advertising the sale or lease of government, public utility, or railroad property.

Signs on benches.


Billboards.

MONUMENT SIGNS


Three (3) Monument signs shall be allowed. Locations are noted on the site plan.

Monument signs shall be double-faced, 5'-0" high by 10'-0" wide, externally illuminated. See Monument sign exhibit on the following page.

Gas price sign dimensions may vary from above call outs.



DESCRIPTION



SHEET METRL CABINET A !TEXCORT FRAZEE NO. 4331-H CLAYPOT ISHT MTL INSET GRPHCS CONT PID FRAZEE 4332 TERRA COTTA CLR LXN FACE W/ SHT MTL RTRN PTD.FRAZEE #4934D BLUE GRASS LINT. ILLIM. CHINL LITTRS HE EXPOSED NEON(NO FACES) 3" RITRY: C IPTO TO MICH. FRAZEE 4955A TIDENATER/6500 V. HATE NEON EXPOSED NEON LETTERING / 6500 V. HATE NEON CLR LXN FACE W/ SHT MTL RTRN PTD.FRAZEE #4934D BLUE GRASS SCORED ALUMINUM TO MATCH TILES (TEAL) CONCRETE BRSE/ LIGHT TEXCORT FRAZEE 4331H CLRYPUT

PAGE ZOF 7

SPECIALIZED RESTAURANT SIGNAGE

(Fast Food Drive Thrus)

DIRECTIONAL SERVICE TYPE SIGNS AND DRIVE THRU MENU BOARDS

Each fast food restaurant will be allowed illuminated traffic flow signs to facilitate safety and enhanced traffic flow, i.e., "One Way Drive Thru", etc.

The fast food tenant will also be allowed an illuminated MENU BOARD, to be placed in a position deemed acceptable by tenant, landlord and County Planner. The MENU BOARD must meet all typical codes.

The total sign area will conform with the sign standards for a commercial center within the standards of the C.C. Land Use Section CH5.0807 of the Specific Plan.

Menu signs shall be limited to "name of business, menu, logo, and shall be included in allowable square footage for permanent sign allowance where necessary.

all signs and placement must be approved by the landlord before obtaining City and County Permits.

	CH5.08	808			N STA	NDA	۱R	DS					2000 (E-00) (E-00)			CH/CS
SIGN TYPE	SIGNEC	nificili dise	RATION LAT	WAL		^k o _c		/	MONU	MENT		FREES	ANO	, kc	PROJEC	Int ^c
AGRICULTURAL		N/P		N/P		N/P	H		N/P	H 4		N/P	H		N/P	
BUSINESS		P	3:1 200 SQ. FT MAX.	۵	3:1 200 SQ. FT MAX.	D	H	5 FT. 100 SQ. FT	D	H		N/P	H A		N/P	
SHOPPING CENTER							H	5 FT. 100 SQ. FT	D	H A	35 FT 200 SQ. FT	D	H A		N/P	
SHOPPING CENTER OCCUPANT		Р	2:1 100 SQ. FT MAX.	D	2:1 100 SQ. FT MAX.	D _.										

TOTAL AREA	300 SQ. FT.
TOTAL NUMBER	AT — 2
TOTAL AREA	200 SQ. FT.
TOTAL NUMBER SHOPPING CENTER	ONE PER FRONTAGE
TOTAL AREA SHOPPING CENTER OCCUPANT	100 SQ. FT.
TOTAL NUMBER SHOPPING CENTER OCCUPANT	1

P = PERMITTED

N/P = NOT PERMITTED

N/S = CONDITIONAL USE PERMIT

P/S = CONDITIONAL USE PERMIT

D = DEPARTMENTAL REVIEW

F/S = FREE-STANDING

AT = ATTACHED

H = HEIGHT

A = AREA

CH5.0809 DEVELOPMENT STANDARDS						
17						
	DEVELOPMENT STA					

COMMUNITY DEVELOPMENT CITY OF CHINO HILLS

ZD06 AUG -9 PM 2: 57


GECEIVED

D5 - 48

9495532436

PYLON SIGN ON PIPELINE AVENUE

One (1) Shopping Center Identification Sign shall be allowed. Note location on the site plan. The double-face Pylon Sign shall be 25'-0" high by 14'-0" wide. See Pylon sign exhibit on following page.



SIGN CRITERIA

PYLON SIGN

RLUMINUM BORROER SECTION PRINTED TO MRTCH 3M SCOTCHCAL FILM #7725-96 'TERL'

RLUMINUM GRAPHICS SECTION-(SEE DETRIL)

INTERNALLY- ILLUM, ALUMINUM CABINET AND RETAINERS PAINTED TO NATION 3N SCOTCHOAL FILM #7725-96 'TEAL' WHITE PLEX TENANT PRINCIS NUMPPLIED VINYL GRAPHICS.

RUMINUM STRUCTURE NV TEXCORT FINISH TO MATCH PROJECT BUILDINGS - FRAZEE #4331W CLAYPOT

APPLIED CERRNIC TILES TO MATCH PROJECT STANDARD.



RLUMINUM GRAPHICS SECTION PTD TO MATCH FRAZEE #4331W CLRYPOT - GLOSS FINISH.

APPLIED VINYL GRAPHICS- 3M SCUTCHORL #7725-96 TERL KITH EXPOSED NEON - TURQUOISE

TENANT WALL SIGNS

Each in line tenant will be allowed one (1) primary fascia sign only, unless otherwise approved by landlord or architects.

Maximum height of letters and length of signs shall be in conformance with the table below:

24" maximum height for one (1) row of copy.

Total of 30" combined with two (2) rows of copy.

Maximum width, one (1) square foot of copy per one (1) lineal foot of leasehold width.

Total maximum square footage shall be fifty (50) square feet.

Installation shall be U.L. approved only with a label on return.

Construction of the letters shall be 22 GA sheet metal or .063 aluminum with 5" deep returns. Interior to be primed and painted a reflective White. Neon gas tube illumination to be 60 M.A.


Returns to be primed and painted a dark Bronze with a 3/4" dark Bronze trim cap.

Acrylic plastic face with one (1) of the approved colors.

Window signs shall be limited to "name of business, hours" and shall be included in allowable square footage for permanent sign allowance.


All signs and placement on building fascia must be approved by the landlord before obtaining City and County Permits.

Logo Can-Aign can be up to 24" tall



BUILDING ELEVATION

METHOD OF ATTACHMENT



PAGE

COMPANY

TENANT LETTER STYLES

Signs will be limited to tenants name, logo, and/or logotype. The use of brand names or brand name logos will not be allowed on the sign unless it is specifically included in the tenant's DBA. Tenants without a registered trademark or logo style may select any one (1) of the letter styles/layouts listed below.

AVANTE GARDE

COMMERCIAL SCRIPT

EUROSTYLE

GOUDY

HELVETICA MEDIUM

OPTIMA

Copy of letter styles is enclosed.

Colors to be allowed shall include:

BLUE #607 Acrylite

RED #2793 Rohm & Haas

TURQUOISE #614 Acrylite


VIOLET #2287 Rohm & Haas

YELLOW #2465 Rohm & Haas

MULTI-TENANT UNDER CANOPY SIGNS

In line tenant is to also provide an under canopy sign designed in conformance with the attached under canopy construction drawing. The sign shall bear only the name of the tenants business. Style of lettering is to match style of wall sign or any one (1) of the pre-approved enclosed copy styles. The under canopy sign shall be centered on tenants entrance.

BUILDING ELEVATION



SIGN CRITERIA (UNDER CANOPIES) MULTI-TEMANT RETAILERS

TYPE STYLE (BLADE SIENS)

- I) PRE-APPROVED SELECTION:
 - AD AVANTE BARDE.
 - 8) BRUSH SCRIPT
 - C) EUROSTYLE
 - 0) BOUDY

AAABCDEFGHUKLM MNOPORSTUNVVW WXYZCACEAFAIRGAH KALAIRRASSTHUT a bccdeefghijklmnop qrstlunvvwwxyyzl2 34567890&?!B£\$();

ABCDE IGHII KLMNOP 2R STUVW XYZ a bedefghijklmnop grstuvw xyz 12345 67890&BL\$?!

ABCDEFG HIJKLIVINO PGRSTUV WXYZ 123 45678908 乳£\$0;流荡器

(

4)

ABCDEFGHIJ KLMNOPQRS TUVWXYZ a bcdefghijklmn opqrstuvwxyz 1234567890&!! β€\$β□添:

D)

usign's & FSEF CES

PA : OF

MAJOR TENANTS


The provisions of this sign criteria shall not be applicable to identification signs of occupancies designated by the land-lord as Major tenants. These tenants may install their standard signage which has been pre-approved by the Architects and landlords of the Chino Hills Promenade Partnership and the local governing agency.

BUILDING ADDRESS IDENTIFICATION SIGN

One (1) building address identification sign shall be permitted on the building main door entrance.

Address numbers shall be 12" high and constructed of 1 1/2" gator-foam.

Type style shall be Helvetica Medium only.



BUILDING ELEVATION

FORT BUILDING 0°5 <12° HELV. MED.>

LIST OF MATRLS.

- 13 1.5" BRTOR FORM
- 23 TER: BILLE MATTE FINISH
- 3> AFFIXED VIA SILICOME


1234

SIGNS & ESERVICES

CAR WASH BLDG.




















SCALE: 1147 -1-0"





HORTH ELEVATION .. BEMLEYNG-1-6

WEST ELEVATION SCALE:VIET-1-F

BURGER KING BLDG,







NORTH ELEVATION SCALE:YH'-T-E

WEST ELEVATION 1CALE:#16*1-6


SOUTH ELEVATION PCTTERIES-1-4.

EAST ELEVATION SCAUS: 9 M - 5-6"

SIZZLER BLDG.









SOUTH ELEVATION SCALE: PRE-T-6"

' EAST ELEVATION SCALENS'-T-6


NORTH ELEVATION SCAUSENTS T-E

WEST ELEVATION


DRIVE THRU AUTO BAYS BLDG.







NORTH ELEVATION SCALE: WHT -1-4




WEST ELEVATION


SCALE HIS .T-E



SOUTH ELEVATION BCALEW 18"- [-6"



9495532436



1-1

