# Turner Crossing - Chino Hills

15221 & 15271 Fairfield Ranch Road Comprehensive Sign Program

City of Chino Hills, CA

APPROVED CHINO HILLS PLANNING

AUG 17 2017

BY Lim luppigen



Turner Crossing - Chino Hills



## PROJECT DIRECTORY

OWNER:

TURNER REAL ESTATE INVESTMENTS

1500 QUAIL STREET, SUITE 150 NEWPORT BEACH, CA 92660 PHONE: 949-951-9131 CONTACT: CHRSITY CLOW

ARCHITECT:

HPA, INC.

18831 BARDEEN AVE. SUITE 100

IRVINE, CA 92612 PHONE: 949-863-1770 DIRECT: 949-862-2137 CONTACT: ALAN SANDOVAL ALAN@HPARCHS.COM

CITY PLANNING: CITY OF CHINO HILLS

COMMUNITY DEVELOPMENT DEPARTMENT

14000 CITY CENTER DR., CHINO HILLS, CA 91709 CONTACT: 909-364-2740

## TABLE OF CONTENTS

00 COVER PAGE

01 TABLE OF CONTENTS

32 SIGN - TYPEFACE

03 TURNER CROSSING SIGNAGE REQUIREMENTS

04 SITE PLAN - SIGN LOCATIONS

05 PROJECT MAIN MONUMENT SIGN

06 BUILDING - ADDRESS SIGN LOCATIONS (15221 & 15271 Fairfield Ranch Road)

07 BUILDING - TENANT SIGN & UNIT NUMBER LOCATIONS (15221 & 15271 Fairfield Ranch Road)

08 UNIT NUMBER (FRONT ENTRY) & BUILDING TENANT SIGN

09 DOCK DOOR NUMBERS & UNIT NUMBERS (BACK ENTRY)

APPROVED CHINO HILLS PLANNING

AUG 17 2017

BY Kim Teypiges



Turner Crossing - Chino Hills



## SIGN TYPEFACE

## Helvetica CE

Helvetica CE 55 Roman
This is the preferred typeface and weight for all possible communications.

## abcdefghijklmnopqrstuvwxyz+ ABCDEFGHIJKLMNOPQRSTUVWXYZ 123456789

Helvetica CE 55 Roman

APPROVED CHINO HILLS PLANNING

ΔIIG 1 7 2017

BY Kim Teypoiger



Turner Crossing - Chino Hills



#### Turner Crossing - Chino Hills

### A. - Intent and purpose.

- 1. The provisions of this chapter establish general regulations for the use of signs and other exterior advertising formats within the City
- 2. Sign regulations are established to promote the public health, safety, and welfare by safeguarding and enhancing property values; protecting public and private investment in buildings and open spaces: improving the apprearance of the City as a place in which to live and work, and as an attraction to nonresidents who come to visit or trade; encouraging sound signing practices as an aid to business, and to provide information to the traveling public, preventing excessive and confusing sign displays; reducing hazards to motorists and pedestrians, and reducing visual blight.

To obtain Landlords approval, submit four (4) copies as outlined in Section 2 of this criteria, to the

- 1. Prior to manufacture of any sign in the center, the Tenant shall submit to Landlord for approval, four (4) copies of detailed drawings for each proposed sign. These drawings shall include the building elevation to which the signs are to be attached, sign dimensions, graphics, location, colors, and method of attachment. This approval must be obtained prior to submittal to the City of Chino Hills.
- 2. All signs shall be reviewed for conformance with this criteria and overall design quality. Approval or disapproval of sign submittals based on aesthetics of design shall be at landlord's sole discretion
- 3. Prior to the installation and manufacture of any sign, the Tenant shall obtain a sign permit from the

Upon approval, a letter shall be provided to Tenant by Landlord. This letter must be presented to the City of Chino Hills to obtain the Tenant's sign permit.

#### C. - General Criteria and Sign Design

- 1. Signs shall be designed in a manner that is not only imaginative but also of high graphic quality. In addition, signs should be compatible with and complimentary to adjacent facades.
- 2. Logo and letter heights, where specified, shall be determined by measuring the normal capital letter of type font exclusive of swashes, ascenders and descenders.
- 3. Not withstanding the maximum sqaure footages specified for copy area allowances, signs and topography in all cases shall appear balanced and in scale within the context of the sign space and the building as a whole. Signs shall be centered horizontally and vertically over each Tenant space unless otherwise directed by Landlord and approved by the City of Chino Hills.
- 4. Each Tenant shall pay all cost for all Tenant signs including manufacture, installation, maintenance,
- 5. Each Tenant shall be responsible for and repair any damage to any surface caused by the signage or
- 6. Landlord reserves the right to periodically hire an independent electrical contractor, at Tenant's sole expense, to inspect the installation of all Tenant's signs. Tenants will be required to correct discrepancies and/or code violations at Tenant's expense. Any code violations, requests for sign removals, or discrepancies not corrected within fifteen (15) days of notice, may be corrected bu the Landlord at
- 7. Tenant's sign contractor shall carry workman's compensation and public liability insurance against all damage by any and all persons and/or property while engaged in the construction or erection of signs in the amount of \$1,000,000 per occurrence. Evidence of this insurance must be provided to Landlord
- 8. Upon vacancy, Tenant shall remove sign and restore fascia to original condition at Tenant's sole cost and expense within fifteen (15) days of expiration of term or earlier termination of Tenant's lease

#### D. - Sign Placement.

- 1. Signs may be placed on private property only.
- 2. No sign may be placed on any property owned by a government agency, or on any structure (including trees and utility poles) owned or operated by a government agency or public utility.
- 3. Signs may not be attached to any other permanent or temporary sign.
- 4. Signs shall not be erected in any location where the City determines the sign may cause a safety hazard or interfere with any authorized traffic sign.

#### E. - Enforcement

- 1. In addition to the following provisions, violations of this chapter shall be enforced in accordance with
- 2. The following signs are here by declared to be public nuisances:
- a. Any sign or advertising structure, including flags, unlawfully constructed, placed on, or unlawfully ecting over land owned in fee simple by a governmental entity, or unlawfully on or over a public right-of-way without an encroachment permit as provided in the Chino Hills Municipal Code.
- b. Any sign declared to be hazardous or unsafe by the City. Hazardous or unsafe signs shall include those which are determined to be capable of causing harm to the public or to property (a) directly, through collapse or deterioration, or (b) indirectly, by obscuring sight lines or creating a hazard to pedestrians, motorists, or other persons.
- 3. A City enforcement officer may move, remove, and/or dispose of a sign or advertising structure that has been declared a public nuisance pursuant to the City Municipal Code. In addition, an enforcemen officer may authorize any work required to correct a hazardous or unsafe condition
- 4. A City enforcement officer shall charge the cost of moving, removing, disposing, correcting, storing. repairing, or working on a sign or sign structure to any one or all of the following, each of which shall be jointly and individually liable for such expense:
- a. The permittee;
- b. The owner of the sign:
- c. The owner of the premises on which the sign is located;
- 5. The charge for expenses shall be in addition to any penalty for the violation. Recovery of the sign does not necessarily void the penalty.
- 6. Signs removed by the City which are made of paper, cardboard, lightweight plastic, or similar materials may be discarded immediately. All other removed signs shall be held no less than thirty (30) days after notice and hearing (as provided in the Chino Hills Administrative Code) by the City, during which period it may be recovered by the owner upon paying the City for costs of removal and storage. If not recovered within the allowed thirty (30) day period, the sign and structure is declared abandoned and title to such sign and structure shall yest to the City

### F. - Time limit for political signs.

Signs advertising a political candidate, political party, or ballot measure may be displayed only during a period beginning forty-five (45) days before the election or vote and ending thirty (30) days after the election

### G. - Prohibited Signs.

- 1. Temporary signs, window signs, placards, flags, pennants, and banners of any type shall be prohibited, except as otherwise approved by the Landlord and the City of Chino Hills prior to installation
- 2. No animated foam, flashing, audible, off-premise, or vehicle signs are allowed.
- 3. No exposed raceways, crossovers, conduits, neon tube conductors, transformers are allowed.

- 1. All signs and their installation shall comply with all applicable City building and electrical codes, and
- 2. Tenant's sign contractor shall completely install and connect sign display and primary wiring at sign location per Landlord's approval. Signs are to be connected to the J-box provided by the Landlord, which is connected to Tenant's electrical panel.
- 3. All penetrations of exterior fascia to be sealed watertight, and finish to match adjacent material, subject to Landlord's approval.
- 4. All signs shall be kept in good condition, be legible, adequately repaired and maintained by the Tenant at all times. All repairs shall be equal in quality and design to the original signs. The standards for maintenance and repairs of signs shall maintain highest visual quality.
- 5. All exterior signs shall be secured by concealed fasteners, stainless steel, nickel or cadmium plated.
- Plastic surfaces to be 3/16" (3/16 inch) as manufactured for outdoor advertising.
- 7. All exterior signs shall be mounted 1/2" (1/2 inch) from the surface of the building for proper drainage.
- 8. Internal illumination to be 60-milli-amp neon installation labeled in accordance with the "National Board of Fire Underwriter's Specifications". No other labels or identification will be permitted on the exposed surfaces of the sign except those required by local ordinances.
- 9. All exposed letter sheet metal returns shall be of 24 gauge, painted with one coat of primer and two coats enamel to match color of face or as approved by Landlord. All trim cap to match the face and returns,
- 10. All permanent signs shall comply with the following criteria;
- a. All transformers, equipment, programmers, and other related items shall be screened or concealed within the sign structure.
- b. To prevent staining and mounting problems, all exterior wall-mounted letters shall be mounted a minimum of three-quarters of an inch from the building or sign wall. The fasteners used to hold the sign/letters shall be of stainless steel, aluminum, brass, or other non-corrosive material.
- c. All permanent signs shall be constructed of quality, low-maintenance materials such as metal, foam, concrete, natural stone, glass and acrylics. Techniques shall be incorporated during construction to reduce fading and damage caused by exposure to sunlight.
- d. All signs shall be constructed in compliance with any applicable building, electrical, or other code in effect at the time of construction or maintenance.
- e. Signs shall be cleaned and/or repaired as necessary to maintain an attractive appearance and to ensure safe operation of the sign. Unacceptable sign conditions include: broken or missing sign faces, broken or missing letters, chipped or peeling paint, missing or inoperative lights, exposed mechanical or electrical components, and missing or broken fasteners. Failure to respond to a written request from the City to perform maintenance work shall result in revocation of the sign's
- 11. All temporary signs and banners shall be made of a material designed to maintain an attractive appearance for as long as the sign is displayed


Turner Crossing - Chino Hills

## SITE PLAN-SIGN LOCATIONS



Dock Door Numbers

Unit Numbers (Back Entrance)





Turner Crossing - Chino Hills

FAIRFIELD RANCH RD., CITY of CHINO HILLS, CA

Real Estate Investments

Job No. 13107.00

SIGN LOCATIONS

PAGE 04

08.04.2017

### Signs Allowed at Location:

General Standard. All sites shall be limited to a maximum of one sign type;

Note: All signs shall conform to the city requirements in which the project is located.

Material:

Individual cut out numbers/letters fabricated from Metal Plate -1-1/2" Depth.

Each, Stand on top of the two tiers of Painted Metal Plate Canopy, and Woodgrain stamped Concrete base, with accent band of

Painted Metal Plate on one side.

Quantities: 1 total

Helvetica CE 55 Roman Typeface: Lighting: Non-illumination types.

max. 2 ft.- 6 in. high letter ht.

(Final location to be approved by Fire Department)


Monument Sign Finish:

The signs shall be concrete panel with woodgrain texture stamped over the surface on all sides.















SW 6047 HOT COCOA @ Metal Plated CANOPY

**AVERY 900 SUPER CAST** AVERY 900 SC White @ Metal Plated letter





1 Stamped Concrete base with Gravel ground cover Illuminated by Lighting in ground



Side View 1

Side View 2 CHINO HILLS PLANNING

AUG 17 2017



Front View


## Turner Crossing - Chino Hills

FAIRFIELD RANCH RD., CITY of CHINO HILLS, CA

Job No. 13107.00

P=11 PROJECT MAIN MONUMENT SIGN

08.16.2017



## 15221 FAIRFIELD RANCH ROAD - WEST FLEVATION

15271 FAIRFIELD RANCH ROAD - WEST ELEVATION

Note: All signs shall conform to the city requirements in which the project is located.

BUILDING ADDRESS SIGN:

Individual cut out numbers fabricated from 1-1/2 inch foam.

Quantities: maximum of 1 per each tenant's front office entry

Material:

Lighting:

Helvetica CE (use Helvetica 55 Roman weight)

Typeface: Color:

Each letters to be wrapped with AVERY 900 SUPER CAST vinyl in AVERY 901 Black color.

AVERY 900 SUPER CAST - AVERY 901 SC Black @ Metal Plated letter

illumination by gooseneck arm wall washer.

exact style/size/placement to be determined.

Size: 18 inch high (Final location to be approved by Fire Department)

1234567890

Commercial, industrial, and multi-family building addresses shall be posted with

18 inch numbers, visible from the street and during the hours of

darkness they Shall be internally or externally electrically illuminated. Posted numbers shall contrast with the background used and be legible from the street.

When building set back exceeds 100 feet from the roadway, additional non-illuminated six inch (6") numbers shall be displayed at the property access entrance. These numbers shall also contrast with the background used. Fire District Standard No.122 must be complied with.

Address numbers shall be visible from the street they serve.








Note:

## Turner Crossing - Chino Hills







## Turner Crossing - Chino Hills



Note: All signs shall conform to the county/city requirements in which the project is located.

### UNIT NUMBER (FRONT ENTRY) B-3

Material:

Individual vinyl numbers.

Quantities: Typeface:

maximum of 1 per each tenant's front office entry

Color:


Helvetica CE (use Helvetica 55 Roman weight)

AVERY 900 SUPER CAST - AVERY 900 SC White @ Metal Plated letter

Size:

12 inch high Unit Numbers

1234567890



## BUILDING TENANT SIGN: B-2

Material:

Individual cut out letters fabricated from 1-1/2 inch foam.

Quantities:

maximum of 1 per each tenant's front office entry

Typeface: Color:

All Typeface/signs approved by the landlord prior to installation. Contrasting color to the building - To be reviewed and approved

by landlord & city of Chino Hills

Non-illumination

Lighting: Size:

The tenant sign shall not exceed 18 feet in length per example shown

in the elevation below.

### Letter & Logo Size:

The first line or a single line of letters and/or logos shall not exceed 24 inches in height.

The second line containing letters and /or logo shall not exceed 10

inches in height.

A maximum of two lines are permitted for letters/logos and the total overall height including the sign copy, the space between two lines of copy

and any logo shall not exceed 36 inches in height.

## **General Sign Specifications:**

Channel letters, reverse channel letters, and pushpin letters are preferred. Can signs are prohibited.

Signage containing multiple elements on one facade shall be designed so that the multiple elements are located and scaled with relationship to each other.

There shall be no window signs or vinyl on glass of any type allowed.

There shall be no type of vinyl peel & stick signs on builidng's window area.

Example of Address/Tenant Sign




AUG 17 2017

## Turner Crossing - Chino Hills

FAIRFIELD RANCH RD., CITY of CHINO HILLS, CA

Real Estate Investments



Note: All signs shall conform to the city requirements in which the project is located.

DOCK DOOR NUMBERS & UNIT NUMBERS (BACK ENTRANCE): B-4 B-5

Material: Quantities:

Individual vinyl numbers or painted. maximum of 1 per each applicable door

Typeface:

Helvetica CE (use HelveticaNeue LT 55 Roman weight)

Color:

AVERY 901 Black color.


AVERY 900 SUPER CAST - AVERY 901 SC Black

Size:

DOCK DOOR NUMBERS = 12 inch UNIT UNMBERS(BACK ENTRY) = 8 inch NOTE = 8 inch ht./max. for numbers

1234567890

APPROVED CHINO HILLS PLANNING



Sign Location Legend:

B-4 Dock Door Numbers

B-5 Unit Numbers (Back Entrance)



Turner Crossing - Chino Hills

